

TRIASMOKE FIX



DESCRIPTION

TRIASMOKE FIX DA is a static smoke curtain that in case of fire limits and controls the movement of smoke, with classification D180.

The smoke curtain delimits the space of the building according to the areas that have been specified to prevent the smoke spreading into other areas.

TRIASMOKE fix da is a curtain appropriated to industrial buildings or buildings where the rise and fall of the curtains is not a key feature or where the esthetic is not fundamental.

Tested and approved according to the European Standard UNE EN 12101-1 and with CE Marking.

triasmoke fix




FABRIC

The fiberglass fabric resists up to 600°C. The polyurethane coating on both sides guarantees mechanical stability when handling the fabric not only in the sewing process but also during the installation. All seams are done with high resistance Kevlar wire.


OPTIONAL EXTRAS

Standard color is grey but as optional in white and black.
Supply of accessories for fixing as steel angle rod and screws.


Note: other requirements and customized solutions on demand.



FRONT VIEW



CONCRETE STEEL ANCHOR
DETAIL



FIXING STEEL ACCESSO-
RIES DETAIL

1. galvanized steel angle 40x40x0.8mm
2. concrete steel anchor screw
3. round steel rod 10mm diameter or steel cable
4. smoke resistant fabric
5. fixing steel accessories